## Manual Object Instantiation (Creation) in BlueJ

CSCI 111

 With the Class you want to instantiate (create an instance of) compiled, right click the class. All of the constructors you created will be displayed. Select the one you want to use.



2. A dialog box will pop-up and prompt you for values to pass to the constructor. Input values you want (remember: Strings need to be in quotes). Hit "Ok".

Recycle Bin Google flights	Python MATLAB NEBens IDE	PCP Books
Dropbox Google Drive	Dis gaugist+56 Command	Fall 2013 budget
Academic Teaching	Bluch: 29Jug14 Project Edit Tools View Help	Spring 2014 Test
Research Personal	New Class	<mark>≊a,</mark> <mark>∞a</mark> , core:sum… majors:cou…
Climbing To Do	Compile  A Bluel: Create Object	Rajors-ce majors-cou
	Name of Instance: student1 new Student ( 'Sean' , String inflame	core-stats majors-ce
needko coxa	3.5 · ) doble nGPA	Raj migrosou diving
		Ma, Maa migris-cou migris-cou
2DAugH		
	T	
		▲ 📑 🗔 🌆 🕷 🕭 8:02 AM

3. The new object is now on the bottom of the control screen. Double click it to see the values of the instance variables. Right click and select "Remove" to get rid of the object.

